

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspio.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/818,573	03/28/2001	Hiroaki Mashiko	Q63340	3670
759	90 02/26/2003			
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC			EXAMINER	
Washington, DC	nia Avenue, N.W. 20037		DONG, DALEI	
			ART UNIT	PAPER NUMBER

DATE MAILED: 02/26/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application No. Applicant(s)				
		09/818,573	MASHIKO ET AL.			
		Examiner	Art Unit			
		Dalei Dong	2875			
Period fo	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
- Exter after - If the - If NO - Failur - Any re	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period we re to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	signature of the statutory minimum of thirty (30) day fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication.			
Status	, , , , , , , , , , , , , , , , , , , ,					
1)🖂	Responsive to communication(s) filed on 30 D	<u> ecember 2002</u> .				
2a)⊠	This action is FINAL . 2b) Thi	s action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims						
4)⊠ Claim(s) <u>1 and 3-10</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1 and 3-10</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement. Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>30 December 2002</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a)⊠ All b)☐ Some * c)☐ None of:						
	1. Certified copies of the priority documents have been received.					
2	2. Certified copies of the priority documents have been received in Application No. 09/789,603					
Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) The translation of the foreign language provisional application has been received.						
15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.						
Attachment(s)					
2) Notice	of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-948) ation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal Page 5	(PTO-413) Paper No(s) atent Application (PTO-152)			
S. Patent and Trac PTO-326 (Rev.		on Summary	Part of Paper No. 7			

DETAILED ACTION

Specification

The corrected and amended specification and abstract were received on December 26,
 2002. The corrected specification and abstract are accepted by the Examiner.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. The amended claim 8 was received on December 26, 2002. The newly amended claim is accepted by the examiner.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1 and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 5,882,761 to Kawami.

Kawami discloses all of the claimed limitations set forth in claim 1. Kawami shows a "drying substance air tightly contained in the airtight container" (column. 2 line.

38-39), by means of a "bonding agent" (column. 5 line 41 and see Figure 1, depending portion 8). The "bonding agent" in term forms the "adhesive member" as claimed in claim 1, which is "fixed" or "bonded" to the drying substance. Kawami also discloses the drying substance stated above is "compound into an air-permeable bag" (column. 5 line. 16-17), as stated "a sheet member having a gas permeable portion coving the said removing agent."

Kawami further discloses all of the claimed limitations in claim 10. Kawami specifies an electroluminescent device containing a drying substance that is bonded to both the electroluminescent device and the drying substance. For further detail please refer to Figure 1.

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,882,761 to Kawami in view of U.S. Patent No. 5,990,615 to Sakaguchi.

Regarding to claim 3, Kawami discloses a drying substance, an "adhesive member" and a sheet member having gas-permeable portion covering the drying substance. However, Kawami did not discloses the type of material used to compose the

Art Unit: 2875

gas-permeable portion. Sakaguchi teaches providing a protective layer on the Electroluminescent device, using polytetrafluoroethylene (column 2, line 56), to resist moisture and insulating electrical properties. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use polytetrafluoroethylene of Sakaguchi as the protective layer for the drying substance of Kawami, for the purpose of controlling the amount of impurities allowed to pass through and absorbed by the drying substance.

Regarding to claim 4, Kawami also discloses the drying substance, an "adhesive member" and a sheet member having gas-permeable portion covering the drying substance. But Kawami does not specify the type of material composed of the gaspermeable portion. Sakaguchi also teaches a "protective layer-using polymer of fluorine system such as polytetrafluoroethylene (PTFE), polychlorotrifluoroethylene (PCTFE), polyvinyliden fluoride (PVDF), etc. as a deposition source" (column 2, line 53-57). The different types of polymers used by Sakaguchi all exhibits the property of a crystal structure. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use polymer with crystal structure of Sakaguchi as the protective layer for the drying substance of Kawami, for the purpose of controlling the amount of impurities allowed to pass through and absorbed by the drying substance.

8. Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,882,761 to Kawami in view of U.S. Patent No. 5,952,778 to Haskal.

Art Unit: 2875

Regarding to claim 6, Kawami specifies all of the claimed limitations, for instance a drying substance, an "adhesive member" and a gas-permeable sheet member, however, the type of material comprises the gas-permeable sheet member is not specified by Kawami. Haskal teaches using a "protective covering comprises a suitable hydrophobic material include poly siloxanes, polytetrafluorthylene (Teflon) and branched polyolefins" (column 3, line 58-61), to protect the organic electroluminescent material from oxidative or hydrolytic degradation. Polyolefin is a type of thermoplastic resin. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use thermoplastic (polyolefins) resin of Haskal, for the purpose of controlling the amount of oxidative or hydrolytic impurities allowed to pass through and absorbed by the drying substance.

Regarding to claim 6, Kawami shows all of the claimed limitations such as a drying substance, an "adhesive member" and a gas-permeable sheet member, however, the material that composes the sheet member is not disclosed. Haskal teaches using a protective layer comprises of polylefin (column 3, line 61), in order to effectively protect the electro luminescent material from oxidative or hydrolytic degradation. It would have been obvious to one of ordinary skill in the art at the time the invention was made to substitute the protective layer comprises of polylefin as the sheet member that covers the drying substance, to protect the drying substance and controls oxidative or hydrolytic gases to pass through to be absorbed by the drying substance.

Art Unit: 2875

9. Claims 7, 8, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S.

Patent No. 5,882,761 to Kawami in view of U.S. Patent No. 5,444,331 to Matsuno.

Regarding to claim 7, Kawami reveals all of the claimed limitations for instance the drying substance, and an "adhesive member," however, the elasticity of the "adhesive member" is not declared. Matsuno teaches an "adhesive comprised primarily of zirconia and sodium silicate can be used to attach the getter," (column 6, line 26-28) and the material sodium silicate has modulus of elasticity of 2.0×10^4 psi, which converts to approximately 14×10^7 Pa and is in the range of from 1.0×10^3 Pa to 1.0×10^{10} Pa at 25°C. It would have been obvious to one of ordinary skill in the art at the time the invention was made to substitute the sodium silicate material as the "adhesive member" that is fixed to the drying substance and to the electroluminescent device.

Regarding to claim 8, Kawami shows all of the claimed limitations such as the drying substance with an "adhesive member" fixed to the drying agent. However, Kawami did not declare the elasticity of the material that composes the "adhesive member". Matsuno teaches an "adhesive comprised primarily of zirconia and sodium silicate can be used to attach the getter," (column 6, line 26-28) and the material sodium silicate has modulus of elasticity of 2.0×10^4 psi, which converts to approximately 14×10^7 Pa and is in the range of from 1.0×10^6 Pa or higher at 25°C. It would have been obvious to one of ordinary skill in the art at the time the invention was made to substitute the sodium silicate material as the "adhesive member" that is fixed to the drying substance and to the electroluminescent device.

Application/Control Number: 09/818,573

Art Unit: 2875

Regarding to claim 9, it is old and well known to choose thin layers for the electroluminescent devices since these devices by their nature are thin. Further, applicant has not established that the thickness of 5mm or less is critical to the invention and hence, the proper thickness can be determined by routine experimentation by one having ordinary skill in the art.

Response to Arguments

10. Applicant's arguments filed on December 26, 2002 have been fully considered but they are not persuasive.

In response to applicant's argument that the prior art does not describe or suggest a sheet member having a gas permeable portion. The prior art clearly and concisely states the getter is "compound into a air-permeable bag" (column 5, line 16-17).

In response to applicant's argument that a removing agent for removing a predetermined gas component, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963).

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies

Application/Control Number: 09/818,573

Art Unit: 2875

11...... 2075

Page 8

(i.e., the direct cotact between the removing agent and the laminate has an adverse effect on the luminance and luminous uniformity) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPO2d 1057 (Fed. Cir. 1993).

Conclusion

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dalei Dong whose telephone number is (703)308-2870. The examiner can normally be reached on 8 A.M. to 5 P.M..

Page 9

Application/Control Number: 09/818,573

Art Unit: 2875

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on (703)305-4939. The fax phone numbers for the organization where this application or proceeding is assigned are (703)872-9318 for regular communications and (703)872-9319 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0956.

D.D.

January 8, 2003

Sandra O'Shea

Supervisory Patent Examiner Technology Center 2800